

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	198	(optical with filter\$3) and (waveguide same ((length with difference) or (different with length\$1))) and (flat\$4 with (response or spectr\$3 or shape))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:42
L2	183	L1 and (demultiplex\$4 or multiplex\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:42
L3	142	L2 and ("AWG" or (array\$3 with wave\$guide\$1 with grating\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 13:43
L4	0	("2004/0213520").URPN.	USPAT	OR	ON	2005/07/20 14:56
L5	1	("6212315").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/20 14:58
L6	1	("6597842").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/20 14:58
L7	0	("2005/0047722").URPN.	USPAT	OR	ON	2005/07/20 15:05
L8	6	("5953467" "6023544" "6212315" "6493487" "6597842" "6690846").PN. OR ("6907160").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 15:06
S1	15	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) same ((slab\$1 with wave\$guide\$1) or (free with propagation with region\$1)) same ((directional or 3\$dB) with coupler\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 09:01
S2	36	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) same ((slab\$1 with wave\$guide\$1) or (free with propagation with region\$1)) same ((directional or 3\$dB or "MMI" or (multi\$mode or (multi with mode) with interference) with coupler\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 13:43
S3	2	("2002/0001433").URPN.	USPAT	OR	OFF	2005/01/12 09:02
S4	2	("2002/0057865").URPN.	USPAT	OR	OFF	2005/01/12 09:03
S5	1	("2002/0122650").URPN.	USPAT	OR	OFF	2005/01/12 09:03
S6	0	("2002/0176665").URPN.	USPAT	OR	OFF	2005/01/12 09:03

S7	0	("2002/0181832").URPN.	USPAT	OR	OFF	2005/01/12 09:04
S8	5	("5410622" "5499309" "5966478" "6311004" "6327407").PN. OR ("6507680"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 09:04
S9	0	("2003/0063858").URPN.	USPAT	OR	OFF	2005/01/12 09:04
S10	0	("2003/0103722").URPN.	USPAT	OR	OFF	2005/01/12 09:04
S11	2	("6137939" "6501896").PN. OR ("6580862").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 09:05
S12	29	("20020186928" "4618210" "4747654" "4813757" "4846542" "5002350" "5013113" "5039993" "5243672" "5412744" "5450511" "5467418" "5488500" "5542010" "5581643" "5706377" "5841931" "5938811" "5991477" "6021242" "6108478" "6118909" "6256428" "6272270" "6337937" "6486984" "6542666" "6546167" "6549328").PN. OR ("6674929"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 09:05
S13	0	("2004/0028105").URPN.	USPAT	OR	OFF	2005/01/12 09:08
S14	2	("5412744" "6195482").PN. OR ("6728442").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 09:08
S15	1	("2004/0101243").URPN.	USPAT	OR	OFF	2005/01/12 09:09
S16	0	("2004/0131313").URPN.	USPAT	OR	OFF	2005/01/12 09:09
S17	7	("6169838" "6222956" "6515776" "6526203" "6549688" "6563988" "6625187").PN. OR ("6768842"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 09:09
S18	0	("2004/0161186").URPN.	USPAT	OR	OFF	2005/01/12 09:11
S19	18	("20030081898" "4756587" "5136671" "5467418" "5488680" "5623571" "5706377" "5745616" "5745618" "5841919" "5881199" "5982960" "5999290" "6069990" "6205273" "6222963" "6229943" "6363188").PN. OR ("6798952").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 09:11

S20	21	(US-20020001433-\$ or US-20020057865-\$ or US-20020122650-\$ or US-20020176665-\$ or US-20020181832-\$ or US-20030063858-\$ or US-20030103722-\$ or US-20040028105-\$ or US-20040101243-\$ or US-20040131313-\$ or US-20040161186-\$).did. or (US-6507680-\$ or US-6580862-\$ or US-6674929-\$ or US-6728442-\$ or US-6768842-\$ or US-6798952-\$ or US-6563988-\$ or US-6839477-\$ or US-5881199-\$ or US-6205273-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/01/12 09:14
S21	4	S20 not (S2 or S1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 09:14
S22	27	("5881199").URPN.	USPAT	OR	OFF	2005/01/12 09:14
S23	10	("5617234" "5760941" "5809184" "5867290" "5881199" "6212315" "6304380" "6332055" "6351581" "6597841").PN. OR ("6807372").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 09:15
S24	7	("6205273").URPN.	USPAT	OR	OFF	2005/01/12 09:16
S25	15	("4737002" "5002350" "5136671" "5243672" "5357589" "5881199" "5953467" "5982960").PN. OR ("6205273").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 09:17
S26	19	("20020015559" "20020057865" "5002350" "5136671" "5179605" "5412744" "5629992" "5629999" "5680236" "5889906" "6047096" "6069990" "6141152" "6195481" "6195482" "6233375").PN. OR ("6563988").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 09:17
S27	10	("20040101243" "20040109643" "5412744" "5706377" "5926298" "6058233" "6069990" "6188818" "6289147" "6563988").PN. OR ("6839477").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 09:18

S28	22	(US-20020001433-\$ or US-20020057865-\$ or US-20020122650-\$ or US-20020176665-\$ or US-20020181832-\$ or US-20030063858-\$ or US-20030103722-\$ or US-20040028105-\$ or US-20040101243-\$ or US-20040131313-\$ or US-20040161186-\$).did. or (US-6507680-\$ or US-6580862-\$ or US-6674929-\$ or US-6728442-\$ or US-6768842-\$ or US-6798952-\$ or US-6563988-\$ or US-6839477-\$ or US-5881199-\$ or US-6205273-\$ or US-6807372-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/01/12 10:43
S29	22	S28 and (wave\$guide\$1 with (spacing or space or distance\$1 or length\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 10:45
S30	8	S28 and (flat with spectr\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 10:45
S31	21	S2 not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 10:51
S32	21	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) same ((slab\$1 with wave\$guide\$1) or (free with propagation with region\$1)) same ("MMI" or (multi\$mode or (multi with mode) with interference) with coupler\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:27
S33	47	((slab\$1 with wave\$guide\$1) or (free with propagation with region\$1)) same ("MMI" or (multi\$mode or (multi with mode) with interference) with coupler\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:27

S34	26	S33 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:27
S35	40	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and (((slab\$1 with wave\$guide\$1) or (free with propagation with region\$1)) same ("MMI" or (multi\$mode or (multi with mode) with interference) with coupler\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:28
S36	19	S35 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:28
S37	1767	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with (spacing or space or distance\$1 or length\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:18
S38	555	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with (spacing or space or distance\$1 or length\$1)) same ((slab\$1 with wave\$guide\$1) or (free with propagation with region\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:38
S39	110	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with (spacing)) same ((slab\$1 with wave\$guide\$1) or (free with propagation with region\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:41
S40	8	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with (spacing)) same (flat with spectr\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:39
S41	47	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with (spacing)) same ((slab\$1 with wave\$guide\$1) or (free with propagation with region\$1))) and (flat with spectr\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 13:34

S42	47	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with (spacing)) same ((slab\$1 with wave\$guide\$1) or (free with propagation with region\$1))) and (flat with spectr\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 15:02
S43	0	("2004/0151432").URPN.	USPAT	OR	OFF	2005/01/12 15:15
S44	1	("6671433").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/12 15:15
S45	8	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with spacing) same (flat with spectr\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 15:24
S46	16	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with (spacing or space or distance\$1)) same (flat with spectr\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 15:39
S47	8	S46 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 15:25
S48	11	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with length\$1) same (flat with spectr\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 15:49
S49	3	((("5982960") or ("5841919") or ("6339664")).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/12 15:49
S50	0	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with spacing) same primary and secondary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:16
S51	3	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with spacing) same (primary or secondary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:16

S52	94	(integer\$1 same (center with wavelength\$1) same (refractive with index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:19
S53	12	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and (integer\$1 same (center with wavelength\$1) same (refractive with index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:20
S54	5	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((wave\$guide\$1 with spacing with channel\$1) same (flat with spectr\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 13:35
S55	433	(directional with interference with coupler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 08:22
S56	173	(optical with directional with interference with coupler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 08:23
S57	31	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and (optical with directional with interference with coupler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 11:16
S58	31	S57 and (optical with directional with interference with coupler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 08:27
S59	56	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and (star with directional with coupler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 08:55
S60	1	("6711313").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/06 08:38
S61	0	("2001/0010739").URPN.	USPAT	OR	ON	2005/04/06 08:38

S62	3	("5414548" "6049640" "6249620").PN. OR ("6711313").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 08:45
S63	3	((("6760529") or ("6836604") or ("6860642")).PN.	US-PGPUB; USPAT	OR	OFF	2005/04/06 08:45
S64	179	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((slab or star) with waveguide) and (directional with coupler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 11:57
S65	4	("5881199" "5970201").PN. OR ("6332055").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 09:11
S66	1	("2002/0191887").URPN.	USPAT	OR	ON	2005/04/06 09:17
S67	60	("4021097" "4136929" "4259016" "4301543" "4302071" "4307933" "4315666" "4378539" "4392712" "4431260" "4479701" "4493528" "4536058" "4556279" "4560234" "4564262" "4601541" "4688882" "4721352" "4723827" "4778237" "4784453" "4828350" "4842358" "4869567" "4896932" "4900118" "4986624" "4991922" "5029961" "5042896" "5100219" "5329607" "5444723" "5533155" "5586205" "5623567" "5651085" "5729641" "5781675" "5809188" "5841926" "5854864" "5892857" "5900983" "5903685" "5915063" "5940556" "5963291" "5966493" "5970201" "6011881" "6026205" "6038359" "6052220" "6058226" "6130984" "6134360" "6144793" "6185358").PN. OR ("6556746").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 09:21
S68	0	("2003/0103722").URPN.	USPAT	OR	ON	2005/04/06 09:26
S69	32	S67 and (directional adj coupler)	USPAT	OR	ON	2005/04/06 09:27
S70	1	("6798952").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/06 09:27

S71	18	("20030081898" "4756587" "5136671" "5467418" "5488680" "5623571" "5706377" "5745616" "5745618" "5841919" "5881199" "5982960" "5999290" "6069990" "6205273" "6222963" "6229943" "6363188").PN. OR ("6798952").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 09:28
S72	0	("2003/0133655").URPN.	USPAT	OR	ON	2005/04/06 09:33
S73	1	("6597841").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/06 09:34
S74	13	("5002350" "5412744" "5488500" "5600742" "5617234" "6055078" "6266464" "6271949" "6272270" "6501896").PN. OR ("6597841").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 09:34
S75	0	("2004/0136647").URPN.	USPAT	OR	ON	2005/04/06 09:54
S76	0	("2005/0047722").URPN.	USPAT	OR	ON	2005/04/06 09:57
S77	115	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((multi\$mode or (multi adj mode)) with coupler) and ((waveguide or channel) with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 11:17
S78	90	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((multi\$mode or (multi adj mode)) with interference with coupler) and ((waveguide or channel) with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 11:17
S79	19	("4773063" "5002350" "5412744" "5488680" "5629992" "5706377" "5745612" "5748811" "5889906" "5926298" "5962298" "6181849").PN. OR ("6289147").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 11:24
S80	0	("2004/0047560").URPN.	USPAT	OR	ON	2005/04/06 11:42
S81	32	("AWG" or (array\$3 with wave\$guide\$1 with grating\$1)) and ((slab or star) with waveguide) and (directional with coupler) and (flat\$4 with (shape or response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 11:58


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |


Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((arrayed waveguide grating) or awg)<in>metadata) <and> ((length difference) or (di..." 


Your search matched 70 of 1194402 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((arrayed waveguide grating) or awg)<in>metadata) <and> ((length difference) or (☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

View: 1-

- ☐ 1. **Mirror quality and the performance of reflective arrayed-waveguide gratin**
Bernussi, A.A.; de Peralta, L.G.; Gorbounov, V.; Linn, J.A.; Frisbie, S.; Gale, R
Lightwave Technology, Journal of
Volume 22, Issue 7, July 2004 Page(s):1828 - 1832
Digital Object Identifier 10.1109/JLT.2004.831196
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(216 KB) IEEE JNL
- ☐ 2. **Control of center wavelength in reflective-arrayed waveguide-grating mul**
de Peralta, L.G.; Bernussi, A.A.; Gorbounov, V.; Berg, J.M.; Temkin, H.;
Quantum Electronics, IEEE Journal of
Volume 40, Issue 12, Dec. 2004 Page(s):1725 - 1731
Digital Object Identifier 10.1109/JQE.2004.837789
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(320 KB) IEEE JNL
- ☐ 3. **Super-high-/spl Delta/ athermal arrayed waveguide grating with resin-fille slab region**
Maru, K.; Matsui, K.; Ishikawa, H.; Abe, Y.; Kashimura, S.; Himi, S.; Uetsuka, I
Electronics Letters
Volume 40, Issue 6, 18 March 2004 Page(s):374 - 375
Digital Object Identifier 10.1049/el:20040273
[AbstractPlus](#) | Full Text: [PDF](#)(192 KB) IEE JNL
- ☐ 4. **Completely multimode arrayed waveguide grating-based wavelength den**
Kok, A.A.M.; Musa, S.; Borreman, A.; Diemeer, M.B.J.; Driessen, A.;
EUROCON 2003. Computer as a Tool. The IEEE Region 8
Volume 2, 22-24 Sept. 2003 Page(s):422 - 426 vol.2
Digital Object Identifier 10.1109/EURCON.2003.1248232
[AbstractPlus](#) | Full Text: [PDF](#)(383 KB) IEEE CNF
- ☐ 5. **The role of photomask resolution on the performance of arrayed-wavegui devices**
Lee, C.D.; Wei Chen; Qiang Wang; Yung-Jui Chen; Beard, W.T.; Stone, D.; Sr Mincher, R.; Stewart, I.R.;
Lightwave Technology, Journal of
Volume 19, Issue 11, Nov. 2001 Page(s):1726 - 1733
Digital Object Identifier 10.1109/50.964073
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(227 KB) IEEE JNL

- ☐ **6. Temperature-insensitive reflective arrayed-waveguide grating multiplexers**
de Peralta, L.G.; Bernussi, A.A.; Gorbounov, V.; Temkin, H.;
Photonics Technology Letters, IEEE
Volume 16, Issue 3, March 2004 Page(s):831 - 833
Digital Object Identifier 10.1109/LPT.2004.823717
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(136 KB) IEEE JNL

- ☐ **7. Design and applications of silica-based planar lightwave circuits**
Kaneko, A.; Goh, T.; Yamada, H.; Tanaka, T.; Ogawa, L.;
Selected Topics in Quantum Electronics, IEEE Journal of
Volume 5, Issue 5, Sept.-Oct. 1999 Page(s):1227 - 1236
Digital Object Identifier 10.1109/2944.806745
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(384 KB) IEEE JNL

- ☐ **8. Measurement of phase and amplitude error distributions in arrayed-wave multi/demultiplexers based on dispersive waveguide**
Yamada, H.; Sanjoh, H.; Kohtoku, M.; Takada, K.; Okamoto, K.;
Lightwave Technology, Journal of
Volume 18, Issue 9, Sept. 2000 Page(s):1309 - 1320
Digital Object Identifier 10.1109/50.871710
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(536 KB) IEEE JNL

- ☐ **9. An array of photonic filtering advantages: arrayed-waveguide-grating multi/demultiplexers for photonic networks**
Hibino, Y.;
Circuits and Devices Magazine, IEEE
Volume 16, Issue 6, Nov. 2000 Page(s):21 - 27
Digital Object Identifier 10.1109/101.888868
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(3316 KB) IEEE JNL

- ☐ **10. Recent advances in high-density and large-scale AWG multi/demultiplexers: index-contrast silica-based PLCs**
Hibino, Y.;
Selected Topics in Quantum Electronics, IEEE Journal of
Volume 8, Issue 6, Nov.-Dec. 2002 Page(s):1090 - 1101
Digital Object Identifier 10.1109/JSTQE.2002.805965
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(2110 KB) IEEE JNL

- ☐ **11. AWG technologies for dense WDM applications**
Uetsuka, H.;
Selected Topics in Quantum Electronics, IEEE Journal of
Volume 10, Issue 2, March-April 2004 Page(s):393 - 402
Digital Object Identifier 10.1109/JSTQE.2004.827841
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(896 KB) IEEE JNL

- ☐ **12. Integrated polarization compensator for WDM waveguide demultiplexers**
He, J.-J.; Koteles, E.S.; Lamontagne, B.; Erickson, L.; Delage, A.; Davies, M.;
Photonics Technology Letters, IEEE
Volume 11, Issue 2, Feb. 1999 Page(s):224 - 226
Digital Object Identifier 10.1109/68.740711
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(132 KB) IEEE JNL

- ☐ **13. Planar reflection grating wavelength filters in silicon**
Luff, B.J.; Tsaturian, V.; Stopford, P.A.L.; Roberts, S.W.; Drake, J.P.; Fuller, S.;
Lightwave Technology, Journal of
Volume 21, Issue 12, Dec. 2003 Page(s):3387 - 3391
Digital Object Identifier 10.1109/JLT.2003.820046
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(420 KB) IEEE JNL

- ☐ **14. Chromatic dispersion and bandshape improvement of SOI flatband AWG multi/demultiplexers by phase-error correction**
Thompson, M.G.; Brady, D.; Roberts, S.W.;
Photonics Technology Letters, IEEE
Volume 15, Issue 7, July 2003 Page(s):924 - 926
Digital Object Identifier 10.1109/LPT.2003.813417
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(230 KB\)](#) IEEE JNL

- ☐ **15. Modal birefringence and power density distribution in strained buried-co waveguides**
Schriemer, H.P.; Cada, M.;
Quantum Electronics, IEEE Journal of
Volume 40, Issue 8, Aug. 2004 Page(s):1131 - 1139
Digital Object Identifier 10.1109/JQE.2004.831641
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(360 KB\)](#) IEEE JNL

- ☐ **16. Electrooptically tunable folded arrayed waveguide grating multiplexer**
Le, K.D.; Stelmakh, N.; Vasilyev, M.; Chiao, J.C.;
Photonics Technology Letters, IEEE
Volume 17, Issue 1, Jan. 2005 Page(s):112 - 114
Digital Object Identifier 10.1109/LPT.2004.838303
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(136 KB\)](#) IEEE JNL

- ☐ **17. Measurement of slowly varying component in phase error distribution of spacing arrayed-waveguide grating**
Takada, K.; Satoh, S.;
Electronics Letters
Volume 40, Issue 23, 11 Nov. 2004 Page(s):1486 - 1487
Digital Object Identifier 10.1049/el:20046654(410) 40
[AbstractPlus](#) | Full Text: [PDF\(234 KB\)](#) IEE JNL

- ☐ **18. 100 GHz-32 ch athermal AWG with extremely low temperature dependent wavelength**
Saito, T.; Nara, K.; Nekado, Y.; Hasegawa, J.; Kashiwara, K.;
Optical Fiber Communications Conference, 2003. OFC 2003
23-28 March 2003 Page(s):57 - 58 vol.1
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF

- ☐ **19. Traffic performance of buffering strategies in all-optical nodes for IP netw**
Bregni, S.; Pattavina, A.; Vegetti, G.;
High Performance Switching and Routing, 2003. HPSR. Workshop on
24-27 June 2003 Page(s):159 - 164
Digital Object Identifier 10.1109/HPSR.2003.1226698
[AbstractPlus](#) | Full Text: [PDF\(655 KB\)](#) IEEE CNF

- ☐ **20. Characterization of MMI- and AWG-based N×N devices for WDM applicati**
Themistos, C.; Rajarajan, M.; Rahman, B.M.A.; Grattan, K.T.V.;
Electrotechnical Conference, 2000. MELECON 2000. 10th Mediterranean
Volume 1, 29-31 May 2000 Page(s):27 - 30 vol.1
Digital Object Identifier 10.1109/MELCON.2000.880360
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) IEEE CNF

- ☐ **21. Polarisation insensitive wavelength multiplexers using stress release gro**
Nadler, C.; Lanker, M.; Wildermuth, E.; Hunziker, W.; Melchior, H.;
Optical Communication, 1998. 24th European Conference on
Volume 1, 20-24 Sept. 1998 Page(s):129 - 130 vol.1
Digital Object Identifier 10.1109/ECOC.1998.732468

[AbstractPlus](#) | Full Text: [PDF\(200 KB\)](#) IEEE CNF

- ☐ **22. Multiwavelength integrated 2×2 optical cross-connect switch and lambda 2×N phased-array waveguide grating in self-loopback configuration**
Haifeng Li; Chau-Han Lee; Shan Zhong; Yung Jui Chen; Dagenais, M.; Stone, Optical Fiber Communication Conference and Exhibit, 1998. OFC '98., Techni
22-27 Feb. 1998 Page(s):79 - 80
Digital Object Identifier 10.1109/OFC.1998.657223

[AbstractPlus](#) | Full Text: [PDF\(236 KB\)](#) IEEE CNF

- ☐ **23. Silicon-on-insulator phased-array waveguide grating WDM filter**
Trinh, P.D.; Yegnanarayanan, S.; Coppinger, F.; Jalali, B.;
Optical Fiber Communication. OFC 97., Conference on
16-21 Feb. 1997 Page(s):301 - 302
Digital Object Identifier 10.1109/OFC.1997.719910

[AbstractPlus](#) | Full Text: [PDF\(180 KB\)](#) IEEE CNF

- ☐ **24. Estimation of waveguide phase error in silica-based waveguides**
Goh, T.; Suzuki, S.; Sugita, A.;
Lightwave Technology, Journal of
Volume 15, Issue 11, Nov. 1997 Page(s):2107 - 2113
Digital Object Identifier 10.1109/50.641530

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(348 KB\)](#) IEEE JNL

- ☐ **25. Wavelength-tolerant optical access architectures featuring N-dimensional and cascaded arrayed waveguide gratings**
Parker, M.C.; Farjady, F.; Walker, S.D.;
Lightwave Technology, Journal of
Volume 16, Issue 12, Dec. 1998 Page(s):2296 - 2302
Digital Object Identifier 10.1109/50.736595

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(200 KB\)](#) IEEE JNL

[View Selected Items](#)

View: 1-

indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((arrayed waveguide grating) or awg)<in>metadata) <and> ((length difference) or (di..." [e-mail](#)

Your search matched 70 of 1194402 documents.

A maximum of 70 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((arrayed waveguide grating) or awg)<in>metadata) <and> ((length difference) or (di... [e-mail](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

View: 1-

- ☐ **26. Packaging and environmental stability of thermally controlled arrayed-wave multiplexer module with thermoelectric device**
Ishii, M.; Hibino, Y.; Hanawa, F.; Nakagome, H.; Kato, K.;
Lightwave Technology, Journal of
Volume 16, Issue 2, Feb. 1998 Page(s):258 - 264
Digital Object Identifier 10.1109/50.661019
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(176 KB) IEEE JNL
- ☐ **27. Crosstalk reduction in a 10-GHz spacing arrayed-waveguide grating by p compensation**
Yamada, H.; Takada, K.; Mitachi, S.;
Lightwave Technology, Journal of
Volume 16, Issue 3, March 1998 Page(s):364 - 371
Digital Object Identifier 10.1109/50.661362
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(216 KB) IEEE JNL
- ☐ **28. Multichannel wavelength locking using transmission peaks of an AWG for optical transmission systems**
Hyunjae Lee; Lyu, G.Y.; Park, S.Y.; Lee, J.H.;
Photonics Technology Letters, IEEE
Volume 10, Issue 2, Feb. 1998 Page(s):276 - 278
Digital Object Identifier 10.1109/68.655383
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(56 KB) IEEE JNL
- ☐ **29. Temperature insensitive arrayed waveguide gratings on InP substrates**
Tanobe, H.; Kondo, Y.; Kadota, Y.; Okamoto, K.; Yoshikuni, Y.;
Photonics Technology Letters, IEEE
Volume 10, Issue 2, Feb. 1998 Page(s):235 - 237
Digital Object Identifier 10.1109/68.655369
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(112 KB) IEEE JNL
- ☐ **30. Polarization insensitive, low-loss, low-crosstalk wavelength multiplexer**
Nadler, C.K.; Wildermuth, E.K.; Lanker, M.; Hunziker, W.; Melchior, H.;
Selected Topics in Quantum Electronics, IEEE Journal of
Volume 5, Issue 5, Sept.-Oct. 1999 Page(s):1407 - 1412
Digital Object Identifier 10.1109/2944.806898
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(196 KB) IEEE JNL

- ☐ **31. Low-crosstalk 10-GHz-spaced 512-channel arrayed-waveguide grating multi/demultiplexer fabricated on a 4-In wafer**
Takada, K.; Abe, M.; Shibata, M.; Ishii, M.; Okamoto, K.;
Photonics Technology Letters, IEEE
Volume 13, Issue 11, Nov. 2001 Page(s):1182 - 1184
Digital Object Identifier 10.1109/68.959357
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(74 KB) IEEE JNL

- ☐ **32. A discretely tunable mode-locked laser with 32 wavelengths and 100-GHz spacing using an arrayed waveguide grating**
Tamura, K.R.; Inoue, Y.; Sato, K.; Komukai, T.; Sugita, A.; Nakazawa, M.;
Photonics Technology Letters, IEEE
Volume 13, Issue 11, Nov. 2001 Page(s):1227 - 1229
Digital Object Identifier 10.1109/68.959372
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(63 KB) IEEE JNL

- ☐ **33. Generation of high-repetition-rate WDM pulse trains from an arrayed-waveguide grating**
Leaird, D.E.; Shen, S.; Weiner, A.M.; Sugita, A.; Kamei, S.; Ishii, M.; Okamoto, K.;
Photonics Technology Letters, IEEE
Volume 13, Issue 3, Mar 2001 Page(s):221 - 223
Digital Object Identifier 10.1109/68.914327
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(56 KB) IEEE JNL

- ☐ **34. Novel geometry for an integrated channel selector**
Van Thourhout, D.; Bernasconi, P.; Miller, B.; Weiguo Yang; Liming Zhang; Sa Cabot, S.;
Selected Topics in Quantum Electronics, IEEE Journal of
Volume 8, Issue 6, Nov.-Dec. 2002 Page(s):1211 - 1214
Digital Object Identifier 10.1109/JSTQE.2002.805988
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(287 KB) IEEE JNL

- ☐ **35. Optical delay line based on arrayed waveguide gratings' spectral periodic dispersive media for antenna beamforming applications**
Vidal, B.; Corral, J.L.; Piqueras, M.A.; Marti, J.;
Selected Topics in Quantum Electronics, IEEE Journal of
Volume 8, Issue 6, Nov.-Dec. 2002 Page(s):1202 - 1210
Digital Object Identifier 10.1109/JSTQE.2002.805984
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(562 KB) IEEE JNL

- ☐ **36. Statistical analysis of correlated phase error in transmission characteristics of arrayed waveguide gratings**
Maru, K.; Okawa, M.; Matsui, K.; Uetsuka, H.;
Selected Topics in Quantum Electronics, IEEE Journal of
Volume 8, Issue 6, Nov.-Dec. 2002 Page(s):1142 - 1148
Digital Object Identifier 10.1109/JSTQE.2002.805972
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(388 KB) IEEE JNL

- ☐ **37. N/spl times/N arrayed waveguide gratings with improved frequency accuracy**
Bernasconi, P.; Stulz, L.; Bailey, J.; Cappuzzo, M.; Chen, E.; Gomez, L.; Laskar, R.; Wong-Foy, A.;
Selected Topics in Quantum Electronics, IEEE Journal of
Volume 8, Issue 6, Nov.-Dec. 2002 Page(s):1115 - 1121
Digital Object Identifier 10.1109/JSTQE.2002.805970
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(474 KB) IEEE JNL

- ☐ **38. Generation of flat-topped 500-GHz pulse bursts using loss engineered arrayed waveguide gratings**
Leaird, D.E.; Weiner, A.M.; Kamei, S.; Ishii, M.; Sugita, A.; Okamoto, K.;

Photonics Technology Letters, IEEE
Volume 14, Issue 6, June 2002 Page(s):816 - 818
Digital Object Identifier 10.1109/LPT.2002.1003103
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(185 KB) IEEE JNL

- ☐ **39. 1-GHz-spaced 16-channel arrayed-waveguide grating for a wavelength re standard in DWDM network systems**
Takada, K.; Abe, M.; Shibata, T.; Okamoto, K.;
Lightwave Technology, Journal of
Volume 20, Issue 5, May 2002 Page(s):850 - 853
Digital Object Identifier 10.1109/JLT.2002.1007939
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(217 KB) IEEE JNL

- ☐ **40. New design for low-loss star couplers and arrayed waveguide grating de**
Joonoh Park; Youngchul Chung; Soohyun Baek; Hyung-Jong Lee;
Photonics Technology Letters, IEEE
Volume 14, Issue 5, May 2002 Page(s):651 - 653
Digital Object Identifier 10.1109/68.998714
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(219 KB) IEEE JNL

- ☐ **41. Improved techniques for the measurement of phase error in waveguide b devices**
Wei Chen; Yung-Jui Chen; Ming Yan; McGinnis, B.; Zhe Wu;
Lightwave Technology, Journal of
Volume 21, Issue 1, Jan 2003 Page(s):198 - 205
Digital Object Identifier 10.1109/JLT.2002.803060
[AbstractPlus](#) | Full Text: [PDF](#)(687 KB) IEEE JNL

- ☐ **42. Reflective arrayed waveguide grating multiplexer**
de Peralta, L.G.; Bernussi, A.A.; Frisbie, S.; Gale, R.; Temkin, H.;
Photonics Technology Letters, IEEE
Volume 15, Issue 10, Oct. 2003 Page(s):1398 - 1400
Digital Object Identifier 10.1109/LPT.2003.818223
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(298 KB) IEEE JNL

- ☐ **43. Swept-wavelength interferometric analysis of multiport components**
VanWiggeren, G.D.; Baney, D.M.;
Photonics Technology Letters, IEEE
Volume 15, Issue 9, Sept. 2003 Page(s):1267 - 1269
Digital Object Identifier 10.1109/LPT.2003.816663
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(311 KB) IEEE JNL

- ☐ **44. Demultiplexing using an arrayed-waveguide grating for frequency-interle millimeter-wave radio-on-fiber systems**
Toda, H.; Yamashita, T.; Kuri, T.; Kitayama, K.;
Lightwave Technology, Journal of
Volume 21, Issue 8, Aug. 2003 Page(s):1735 - 1741
Digital Object Identifier 10.1109/JLT.2003.815650
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(412 KB) IEEE JNL

- ☐ **45. Integrated-optic timing tuner for high-speed WDM signals**
Takiguchi, K.; Shibata, T.; Itoh, M.;
Photonics Technology Letters, IEEE
Volume 15, Issue 7, July 2003 Page(s):948 - 950
Digital Object Identifier 10.1109/LPT.2003.813437
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(216 KB) IEEE JNL

46. Silicon-dioxide waveguides with low birefringence

- ☐ de Peralta, L.G.; Bernussi, A.A.; Temkin, H.; Borhani, M.M.; Doucette, D.E.;
Quantum Electronics, IEEE Journal of
Volume 39, Issue 7, July 2003 Page(s):874 - 879
Digital Object Identifier 10.1109/JQE.2003.813194
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(425 KB) IEEE JNL
- ☐ **47. Adding OSNR and wavelength monitoring functionalities on a double-res based power monitoring circuit**
Wenlu Chen; Shan Zhong; Zhonghua Zhu; Wei Chen; Yung-Jui Chen;
Photonics Technology Letters, IEEE
Volume 15, Issue 6, June 2003 Page(s):858 - 860
Digital Object Identifier 10.1109/LPT.2003.811138
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(234 KB) IEEE JNL
- ☐ **48. Single-scan Interferometric component analyzer**
VanWiggeren, G.D.; Motamedi, A.R.; Barley, D.M.;
Photonics Technology Letters, IEEE
Volume 15, Issue 2, Feb. 2003 Page(s):263 - 265
Digital Object Identifier 10.1109/LPT.2002.806100
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(237 KB) IEEE JNL
- ☐ **49. Inverse Fourier transform method for characterizing arrayed-waveguide**
Lazaro, J.A.; Wessel, R.; Koppenborg, J.; Dudziak, G.; Blewett, I.J.;
Photonics Technology Letters, IEEE
Volume 15, Issue 1, Jan. 2003 Page(s):93 - 95
Digital Object Identifier 10.1109/LPT.2002.805809
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(299 KB) IEEE JNL
- ☐ **50. Reconfigurable sampling of the electric field at the reflecting surface of waveguide grating multiplexers**
Bernussi, A.A.; de Peralta, L.G.; Knapczyk, M.; Gale, R.; Temkin, H.;
Photonics Technology Letters, IEEE
Volume 16, Issue 10, Oct. 2004 Page(s):2257 - 2259
Digital Object Identifier 10.1109/LPT.2004.834494
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(160 KB) IEEE JNL

[View Selected Items](#)

View: 1-

indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |


Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((arrayed waveguide grating) or awg)<in>metadata) <and> ((length difference) or (di..." 


Your search matched 70 of 1194402 documents.

A maximum of 70 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((arrayed waveguide grating) or awg)<in>metadata) <and> ((length difference) or (di... ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

View: 1-

- ☐ **51. Wavelength selection in an integrated multiwavelength ring laser**
Bente, E.A.J.M.; Barbarin, Y.; den Besten, J.H.; Smit, M.K.; Binsma, J.J.M.;
Quantum Electronics, IEEE Journal of
Volume 40, Issue 9, Sept. 2004 Page(s):1208 - 1216
Digital Object Identifier 10.1109/JQE.2004.833214
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(352 KB) IEEE JNL
- ☐ **52. An asymmetric twin waveguide eight-channel polarization-independent a waveguide grating with an integrated photodiode array**
Tong, W.; Menon, V.M.; Fengnian Xia; Forrest, S.R.;
Photonics Technology Letters, IEEE
Volume 16, Issue 4, April 2004 Page(s):1170 - 1172
Digital Object Identifier 10.1109/LPT.2004.824923
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(168 KB) IEEE JNL
- ☐ **53. Control of higher order leaky modes in deep-ridge waveguides and appli crosstalk arrayed waveguide gratings**
Kohtoku, M.; Hirono, T.; Oku, S.; Kadota, Y.; Shibata, Y.; Yoshikuni, Y.;
Lightwave Technology, Journal of
Volume 22, Issue 2, Feb. 2004 Page(s):499 - 508
Digital Object Identifier 10.1109/JLT.2004.824354
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(472 KB) IEEE JNL
- ☐ **54. A novel straight arrayed waveguide grating with linearly varying refractiv distribution**
Kawakita, Y.; Saitoh, T.; Shimotaya, S.; Shimomura, K.;
Photonics Technology Letters, IEEE
Volume 16, Issue 1, Jan. 2004 Page(s):144 - 146
Digital Object Identifier 10.1109/LPT.2003.819366
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(200 KB) IEEE JNL
- ☐ **55. Analysis of adaptive dispersion compensators with double-AWG structu**
Kerbstadt, F.; Petermann, K.;
Lightwave Technology, Journal of
Volume 23, Issue 3, March 2005 Page(s):1468 - 1477
Digital Object Identifier 10.1109/JLT.2005.843447
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(456 KB) IEEE JNL

- ☐ **56. Monolithically integrated InP-based photonic chip development for O-CD**
 Chen Ji; Broeke, R.G.; Du, Y.; Jing Cao; Chubun, N.; Bjeletich, P.; Olsson, F.; Welty, R.; Reinhardt, C.; Stephan, P.L.; Yoo, S.J.B.;
 Selected Topics in Quantum Electronics, IEEE Journal of
 Volume 11, Issue 1, Jan-Feb 2005 Page(s):66 - 77
 Digital Object Identifier 10.1109/JSTQE.2004.841710
[AbstractPlus](#) | [Full Text: PDF\(1648 KB\)](#) IEEE JNL

- ☐ **57. Optical spectrum analyzer based on arrayed waveguide grating for high-speed communication systems**
 Tanaka, Y.; Itoh, Y.; Aizawa, K.; Kurokawa, T.; Tsuda, H.;
 Photonics Technology Letters, IEEE
 Volume 17, Issue 2, Feb. 2005 Page(s):432 - 434
 Digital Object Identifier 10.1109/LPT.2004.840273
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(168 KB\)](#) IEEE JNL

- ☐ **58. Interferometric sensor interrogation using an arrayed waveguide grating**
 Norman, D.C.C.; Webb, D.J.; Pechstedt, R.D.;
 Photonics Technology Letters, IEEE
 Volume 17, Issue 1, Jan. 2005 Page(s):172 - 174
 Digital Object Identifier 10.1109/LPT.2004.836899(410) 17
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(96 KB\)](#) IEEE JNL

- ☐ **59. Ultrasmall arrowhead arrayed-waveguide grating with V-shaped bend waveguide**
 Suzuki, T.; Tsuda, H.;
 Photonics Technology Letters, IEEE
 Volume 17, Issue 4, April 2005 Page(s):810 - 812
 Digital Object Identifier 10.1109/LPT.2005.844005
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(288 KB\)](#) IEEE JNL

- ☐ **60. Elimination of PD-to-PD crosstalk at all output ports of silica-based AWG**
 Hida, Y.; Inoue, Y.; Kominato, T.;
 Electronics Letters
 Volume 40, Issue 18, 2 Sept. 2004 Page(s):1118 - 1119
 Digital Object Identifier 10.1049/el:20045778
[AbstractPlus](#) | [Full Text: PDF\(218 KB\)](#) IEEE JNL

- ☐ **61. Transmission experiment using silica waveguide based**
 Takiguchi, K.; Itoh, M.;
 Electronics Letters
 Volume 39, Issue 25, 11 Dec. 2003 Page(s):1813 - 1814
 Digital Object Identifier 10.1049/el:20031161
[AbstractPlus](#) | [Full Text: PDF\(288 KB\)](#) IEEE JNL

- ☐ **62. Progress in AWG design and technology**
 Smit, M.K.;
 Fibres and Optical Passive Components, 2005. Proceedings of 2005 IEEE/LEOS
 June 22-24, 2005 Page(s):26 - 31
[AbstractPlus](#) | [Full Text: PDF\(2760 KB\)](#) IEEE CNF

- ☐ **63. Integrated thin film heater and sensor with planar lightwave circuits**
 Ming Yan; Weaver, J.; Ho, C.; Xu Hao; Tarter, T.;
 Semiconductor Thermal Measurement and Management Symposium, 2004. THERM
 IEEE
 9-11 Mar 2004 Page(s):184 - 189
 Digital Object Identifier 10.1109/STHERM.2004.1291322
[AbstractPlus](#) | [Full Text: PDF\(392 KB\)](#) IEEE CNF

- ☐ **64. Integrated performance monitoring PLC circuit for WDM system**
Chen, W.; Zhong, S.; Zhu, Z.; Chen, Y.;
Optical Fiber Communications Conference, 2003. OFC 2003
23-28 March 2003 Page(s):706 - 707 vol.2
Digital Object Identifier 10.1109/OFC.2003.1248514
[AbstractPlus](#) | Full Text: [PDF](#)(340 KB) IEEE CNF

- ☐ **65. Design of polymer arrayed waveguide gratings for access networks and applications**
Leo, C.J.; Ramana, P.V.; Sudharsanam, K.;
Electronics Packaging Technology, 2003 5th Conference (EPTC 2003)
10-12 Dec. 2003 Page(s):647 - 651
[AbstractPlus](#) | Full Text: [PDF](#)(375 KB) IEEE CNF

- ☐ **66. Novel arrayed waveguide grating designs for optical monitoring**
Wang, D.; Zeng, W.; Li, Y.; Tsay, W.;
Optical Fiber Communications Conference, 2003. OFC 2003
23-28 March 2003 Page(s):32 - 33 vol.1
Digital Object Identifier 10.1109/OFC.2003.1247469
[AbstractPlus](#) | Full Text: [PDF](#)(356 KB) IEEE CNF

- ☐ **67. Suppression of temperature and polarization dependence by polymer over silica-based AWG multiplexer**
Kim, D.; Han, Y.; Shin, J.; Park, S.; Park, Y.; Sung, H.; Lee, S.; Lee, Y.;
Optical Fiber Communications Conference, 2003. OFC 2003
23-28 March 2003 Page(s):61 - 62 vol.1
Digital Object Identifier 10.1109/OFC.2003.1247489
[AbstractPlus](#) | Full Text: [PDF](#)(315 KB) IEEE CNF

- ☐ **68. Arrayed-waveguide grating passband flattening by combined phase and apodisation**
Parker, M.C.; Farjady, F.; Walker, S.D.;
Optical Communication, 1998. 24th European Conference on
Volume 1, 20-24 Sept. 1998 Page(s):297 - 298 vol.1
Digital Object Identifier 10.1109/ECOC.1998.732548
[AbstractPlus](#) | Full Text: [PDF](#)(172 KB) IEEE CNF

- ☐ **69. Space/wavelength-routed ATM access architecture based on cascaded polymer arrayed-waveguide gratings**
Parker, M.C.; Farjady, F.; Walker, S.D.;
Lasers and Electro-Optics, 1998. CLEO 98. Technical Digest. Summaries of papers presented at the Conference on
3-8 May 1998 Page(s):392 - 393
Digital Object Identifier 10.1109/CLEO.1998.676366
[AbstractPlus](#) | Full Text: [PDF](#)(236 KB) IEEE CNF

- ☐ **70. Temperature-insensitive arrayed waveguide gratings on InP substrates**
Tanobe, H.; Kondo, Y.; Kadota, Y.; Okamoto, K.; Yoshikuni, Y.;
Optical Fiber Communication. OFC 97., Conference on
16-21 Feb. 1997 Page(s):298 - 299
Digital Object Identifier 10.1109/OFC.1997.719908
[AbstractPlus](#) | Full Text: [PDF](#)(204 KB) IEEE CNF

[View Selected Items](#)

View: 1-

[Help](#) [Contact Us](#) [Privacy & Policy](#)

